

**HIGHER QUALITY  
BETTER SERVICE**

# CERTTREE

---

QUESTION & ANSWER



Provide One Year  
Free Update!

<https://www.certtree.com>

**Exam** : **1Y0-371**

**Title** : Designing, Deploying and  
Managing Citrix XenMobile  
10 Enterprise Solutions

**Version** : Demo

## 1. Topic 1, Installing the Components of a XenMobile 10 Enterprise Solution

Which XenMobile deployment option would pose the greatest security risk?

- A. SSL Bridge at the NetScaler load balancing tier with the XenMobile Server in the Demilitarized Zone (DMZ).
- B. SSL Bridge at the NetScaler load balancing tier with the XenMobile Server on the internal network segment.
- C. SSL Offload at the NetScaler load balancing tier with the XenMobile Server in the Demilitarized Zone (DMZ).
- D. SSL Offload at the NetScaler load balancing tier with the XenMobile Server on the internal network segment.

**Answer: B**

2.What are two valid reasons for deploying a XenMobile Server in the Demilitarized Zone (DMZ)? (Choose two.)

- A. A XenMobile Server is a hardened, FIPS-capable Linux appliance.
- B. A XenMobile Server deployed in the DMZ reduces the number of external firewall rules that need to be implemented.
- C. A XenMobile Server deployed in the DMZ reduces the risk of connectivity issues between the NetScaler and the XenMobile Server.
- D. A XenMobile Server deployed in the DMZ can serve as a Secure Ticket Authority (STA) for WorxMail.

**Answer: A, C**

3.A Citrix Engineer must deploy a scheduling policy to \_\_\_\_\_ and \_\_\_\_\_ devices in order to allow these devices to check in automatically without further intervention by the engineer. (Choose the two correct options to complete the sentence.)

- A. iOS
- B. Android
- C. Windows Phone 8.1
- D. Symbian

**Answer: B, D**

4.Scenario:

A Citrix Engineer needs to deploy a XenMobile solution for a large organization. The organization will use XenMobile to manage Android and iOS devices.

To provide resilience, NetScaler appliances will communicate with XenMobile Servers. The engineer has deployed all necessary infrastructure and opened the required firewall ports. To load balance mobile device management traffic, the engineer has configured NetScaler to use SSL\_Bridge to communicate with a XenMobile Server cluster.

Which persistence method should the engineer configure to facilitate consistent communication between the NetScaler and the XenMobile Servers?

- A. SSLSESSION
- B. CUSTOMSERVERID
- C. DESTIP

D. COOKIEINSERT

**Answer: A**

5.A Citrix Engineer is testing enrollment and notices that while Mobile Device Management (MDM) enrollment succeeds, Mobile Application Management (MAM) enrollment fails.

A possible cause of this issue is that ports \_\_\_\_\_ from the \_\_\_\_\_ are NOT open. (Choose the correct set of options to complete the sentence.)

- A. 636 or 389; NetScaler
- B. 443 or 4443; NetScaler
- C. 636 or 389; XenMobile Server
- D. 443 or 4443; XenMobile Server

**Answer: A**