HIGHER QUALITY BETTER SERVICE

CERTTREE

QUESTION & ANSWER



Exam : 2V0-41.20

Title:Professional VMware NSX-TData Center

Version : DEMO

1. Which three functions require a Services Router (SR) component on an Edge node? (Choose three.)

- A. Service Insertion
- B. Distributed Routing
- C. Packet Forwarding
- D. Gateway Firewall
- E. Distributed Firewall
- F. Virtual Private Network

Answer: A,D,F

2. What are two valid options when configuring the scope of a distributed firewall rule? (Choose two.)

- A. Segment Port
- B. Group
- C. Segment
- D. DFW

E. Tier-1 Gateway

Answer: B,D

3.A user is assigned these two roles in NSX Manager:

- ⇔ LB Admin
- Setwork Engineer

What privileges does this user have in the system?

A. read permissions on all networking services and full access permissions on load balancing features

B. full access permissions on all networking services and full access permissions on load balancing features

C. full access permissions on all networking services and read permissions on load balancing features

D. read permissions on all networking services and read permissions on load balancing features

Answer: B

4. Which command is used to set the NSX Manager's logging-level to debug mode for troubleshooting?


- A. set service nsx-manager logging-level debug
- B. set service nsx-manager log-level debug
- C. set service manager log-level debug
- D. set service manager logging-level debug

Answer: D

Explanation:

https://vdc-download.vmware.com/vmwb-repository/dcr-public/cc42e3c1-eb34-4567-a916-147e7979895 7/8264605c-a5e1-49a8-b603-cc78621eeeab/cli.html

5.Refer to the exhibit.



Which NAT type must the NSX-T Data Center administrator create on the Tier-0 or Tier-1 Gateway to allow Web VM to initiate communication with public networks?

- A. SNAT
- B. Reverse NAT
- C. DNAT
- D. 1:1 NAT
- Answer: A