

**HIGHER QUALITY  
BETTER SERVICE**

# CERTTREE

---

QUESTION & ANSWER



Provide One Year  
Free Update!

<https://www.certtree.com>

**Exam : 4A0-M05**

**Title : Nokia Cloud Packet Core**

**Version : DEMO**

1.Which of the following management tools performs the function of virtual infrastructure manager (VIM) in the CPC NFV architecture?

- A. NetAct
- B. CloudBand Infrastructure Software (CBIS)
- C. Operations Support System (OSS)
- D. Network Service Platform (NSP)

**Answer: B**

2.Which of the following statements about the network service platform (NSP) is FALSE?

- A. Acts as an element management system (EMS) for CPC components
- B. Performs fault, performance, and security management
- C. Has a northbound interface with the NFV orchestrator (NFVO)
- D. Allows monitoring events associated with the NFV environment

**Answer: C**

3.Which of the following network elements is implemented by the Nokia CPC?

- A. Policy and charging rules function (PCRF)
- B. Equipment Identity Registration (EIR)
- C. Application Function (AF)
- D. eNodeB

**Answer: A**

4.What is the main benefit of splitting the core network into separate user-plane and control-plane nodes?

- A. Independent configuration of user-plane and control-plane nodes
- B. Independent scaling of user-plane and control-plane nodes
- C. User of a shared data repository for storing user states.
- D. Creation of networks with isolated properties over a common infrastructure

**Answer: B**

5.Which of the following statements about SR-IOV is FALSE?

- A. VMs using OVS and SR-IOV can be instantiated on the same compute node.
- B. SR-IOV offers comparable performance to non-visualized hardware.
- C. The VM must be attached to the PF to achieve highest performance.
- D. Using SR-IOV restricts VM mobility.

**Answer: D**