

**HIGHER QUALITY  
BETTER SERVICE**

# CERTTREE

---

QUESTION & ANSWER



Provide One Year  
Free Update!

<https://www.certtree.com>

**Exam : 9A0-389**

**Title : Adobe Campaign Developer**

**Version : Demo**

- 1.How can you give access to a view without giving access to its source folder?
- A. Provide only read access to the specific parent node.
  - B. Do not give read access on the parent node of the source folder.
  - C. Set the "Restrict to information found in sub-folders of" tab to the specific view.
  - D. The user must be able to access the source folder to access a view.

**Answer: B**

- 2.The following XML expression checks for the existence of a first name and will raise an error if the first name field is empty.

```
<leave>
  <check expr="@firstName!=''">
    <error>Please enter a first name!</error>
  </check>
</leave>
```

Where should this expression be located?

- A. Inside the <form> element of a form only
- B. Inside the master container element within the form
- C. Inside the main table element of the data schema.
- D. Inside an external JavaScript file which is linked to from within a form container.

**Answer: C**

- 3.In order to restrict the choice of target elements in an input form a sysfilter was added via the link definition:

```
1 <input xpath="mainContact">
2   <!-- Filter the selection of the link on the adobe.com domain -->
3     <sysFilter>
4       ...
5     </sysFilter>
6 </input>
```

What is missing in line 4?

- A. <element expr=" @domain ='adobe.com'" />
- B. <condition expr=" @domain= 'adobe.com'" />
- C. <element xpath=" @domain= 'adobe.com'" />
- D. <condition xpath=" @domain= 'adobe.com'" />

**Answer: B**


- 4.There are two distinct recipient folders for France and Germany. There are two operator groups for France and Germany that are assigned to each respective folder. A new regional manager joins the company and needs to be able to see both German and French recipients.

How should you setup the rights of that user?

- A. Assign the new operator to the Administrator group.
- B. Assign the new operator to both French and German folders.
- C. Assign the new operator to both French operator and the German operator group.
- D. Assign the new operator to a new operator that has rights on both folders.

**Answer: A**

5.What is the most problematic issue about the workflow shown below?



- A. The end activity will cause all records in the context to be removed from memory.
- B. The split might fail causing no deliveries to be sent.
- C. The two deliveries will be sent concurrently causing issues with the MTA.
- D. The query may not have been completed before the scheduler runs again.

**Answer: D**