

**HIGHER QUALITY  
BETTER SERVICE**

# CERTTREE

---

QUESTION & ANSWER



Provide One Year  
Free Update!

<https://www.certtree.com>

**Exam** : **C\_TS411\_2021**

**Title** : SAP Certified Application  
Associate - SAP S/4HANA  
R&D Engineering

**Version** : DEMO

1.Which organizational level is a Work Center assigned to?

- A. Plant
- B. Storage location
- C. Client
- D. Production supervisor

**Answer:** A

2.Which configuration process/scenario prevents the display of a BOM explosion in the sales order?

Note: There are 2 correct Answers to this question.

- A. Sales Order (SET) for both processing modes
- B. Order BOM with processing mode AVC
- C. Order BOM with processing mode classic and standard settings
- D. Planned/Production Order without BOM explosion for both processing modes

**Answer:** C,D

3.You write object dependencies for a BOM item. In the single-level configuration, you query the configuration for the header material.

Which syntax elements have the same meaning?

- A. None of these. \$self, \$parent and \$root address different levels.
- B. \$self = \$root
- C. \$self = \$parent
- D. \$parent = \$root

**Answer:** D

4.Which scenario is possible when you create plant specific data with the Product Master app?

- A. You can define multiple plant information outside Product Master.
- B. You can only define one plant information inside Product Master.
- C. You can only define one plant information outside Product Master.
- D. You can define multiple plant information inside Product Master.

**Answer:** D

5.The customer wants to see the cross-plant material status inside the object search in classification.

How do you satisfy the customer's requirement?

- A. Add the cross-plant material status field to the database classification table.
- B. Change the screen sequence of the classification view.
- C. Create a custom data type in customizing.
- D. Create a reference characteristic.

**Answer:** D