

**HIGHER QUALITY
BETTER SERVICE**

CERTTREE

QUESTION & ANSWER



Provide One Year
Free Update!

<https://www.certtree.com>

Exam : TA-002-P

**Title : HashiCorp Certified:
Terraform Associate**

Version : DEMO

1.If a module declares a variable with a default, that variable must also be defined within the module.

- A. True
- B. False

Answer: B

2.Your security team scanned some Terraform workspaces and found secrets stored in a plaintext in state files.

How can you protect sensitive data stored in Terraform state files?

- A. Delete the state file every time you run Terraform
- B. Store the state in an encrypted backend
- C. Edit your state file to scrub out the sensitive data
- D. Always store your secrets in a secrets.tfvars file.

Answer: B

3.What does the default "local" Terraform backend store?

- A. tfplan files
- B. Terraform binary
- C. Provider plugins
- D. State file

Answer: D

Explanation:

The local backend stores state on the local filesystem, locks that state using system APIs, and performs operations locally.

Reference: <https://www.terraform.io/docs/language/settings/backends/local.html>

4.What is the name assigned by Terraform to reference this resource?

```
mainresource "google_compute_instance" "main" {  
    name = "test"  
}
```

- A. dev
- B. azure_rm_resource_group
- C. azure_rm
- D. test

Answer: A

5.You have declared an input variable called environment in your parent module.

What must you do to pass the value to a child module in the configuration?

- A. Add node_count = var.node_count
- B. Declare the variable in a terraform.tfvars file
- C. Declare a node_count input variable for child module
- D. Nothing, child modules inherit variables of parent module

Answer: C

Explanation:

"That module may call other modules and connect them together by passing output values from one to

input values of another." <https://www.terraform.io/language/modules/develop>