

**HIGHER QUALITY
BETTER SERVICE**

CERTTREE

QUESTION & ANSWER



Provide One Year
Free Update!

<https://www.certtree.com>

Exam : **640-692**

Title : Supporting Cisco routing
and Switching Network
Devices

Version : DEMO

1.Which router can be used for disk-in-access to the router CLI management purposes and does not usually pass normal network traffic?

- A. AUX
- B. Gigabit Ethernet
- C. Fast Ethernet
- D. Channelized serial

Answer: A

2.Which two pieces of information does the show ip interface brief command display? (Choose two)

- A. Encapsulation type
- B. Interface status
- C. Layer 2 address
- D. Layer 3 address
- E. Keep alive

Answer: B, D

3.The pins and RJ-45 are numbered from 1 through 8. With the material points of the plug facing toward you, pin 1 is the leftmost pin.

Which two sets are looped on an RJ-45 T1 loopback plug? (Choose two)

- A. Pins 1 and 4
- B. Pins 1 and 7
- C. Pins 2 and 5
- D. Pins 2 and 8
- E. Pins 1 and 5
- F. Pins 2 and 7

Answer: A, C

4.What are two ways to open Microsoft Notepad on a Windows-based computer? (Choose two)

- A. Start > Run Enter Notepad and 'Ink OK
- B. Start > Control Panel > Notepad
- C. Start > All Programs > Notepad
- D. Start > All Programs > Accessories > Notepad
- E. Start > All Programs > Microsoft Office > Notepad

Answer: A,D

5.Which three of the following statements are true? (Choose three.)

- A. Each IP address has two parts: a network ID and a host ID
- B. An IP subnet equals a broadcast domain.
- C. An IPv4 address contains 36 bits
- D. 172.16.1.18 is a Class A address
- E. A subnet address is created by borrowing bits from the original host ID

Answer: A, B, E